

OK TO ENTER: /JT/

OK TO ENTER: /JT/

PATENT

Case Docket No.: 45982

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Ha, Sang-Hyuck et al.

:

Group Art Unit: 2112

:

Serial No.: 10/695,390

:

Examiner: Torres, Joseph D

:

Filed: October 29, 2003

:

Confirmation No.: 6829

:

For: Method And Apparatus For

Deinterleaving Interleaved Data Stream

In A Communication System

SUPPLEMENTAL AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

This supplemental amendment is in response to an advisory action of November 04, 2009. This submission serves to particularly point out to the Examiner that the amendments proposed in the Amendment filed on October 29, 2009 do not raise any new issues that require further search and/or consideration. Therefore, in response to the final office action of September 01, 2009, the due date for response being December 01, 2009, please reconsider the following:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 9 of this paper.

OK TO ENTER: /JT/

OK TO ENTER: /JT/

Amendment filed November 18, 2009
 Responding to Office Action mailed September 01, 2009
 App. Ser. No. 10/695,390

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for reading code symbols by deinterleaving to decode an encoder packet in a receiver for a mobile communication system supporting interleaving, wherein an interleaved encoder packet has $(2^m * J + R)$ bits, a bit shift value m , an up-limit value J and a remainder R , wherein the code symbols are written in the format of a $2^m * J$ matrix and R is the number of remaining bits in the last column J , the method comprising the steps of:

generating an interim address by bit reversal order (BRO) operation on an index of a code symbol ~~as if the code symbols constitute a perfect $2^m * J$ matrix~~ by excluding the last column when the number of the code symbols of the last column is less than a half of 2^m code symbols, and generating the interim address by including the last column when the number of the code symbols of the last column is more than or equal to a half of 2^m code symbols;

calculating an address compensation factor for compensating the interim address based on the real ~~the~~ number of the R code symbols written in the last column J by increasing the address compensation factor by one each time a code symbol appears in the last column when the last column has less than a half of 2^m code symbols, and decreasing the address compensation factor by one each time a code symbol is excluded from the last column when the last column has more than or equal to a half of 2^m code symbols;

generating a read address by adding the interim address and the address compensation factor for the code symbol,

reading the code symbol written in the generated read address; and

decoding the code symbol read from the generated read address.

2. (Cancelled)

3. (Cancelled)

4. (Original) The method of claim 1, wherein if a size of the subblock is 408, the read address is generated in accordance with the equation

$$A_k = 3 \cdot BRO_7(k \bmod 128) + \lfloor k / 128 \rfloor \\ + \left\lfloor \frac{BRO_7(k \bmod 128) + 3}{4} \right\rfloor - \left\lfloor \frac{BRO_7(k \bmod 128) + 3}{16} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

5. (Original) The method of claim 1, wherein if a size of the subblock is 792, the read address is generated in accordance with the equation

$$A_k = 3 \cdot BRO_8(k \bmod 256) + \lfloor k / 256 \rfloor \\ + \left\lfloor \frac{BRO_8(k \bmod 256) + 7}{8} \right\rfloor - \left\lfloor \frac{BRO_8(k \bmod 256) + 7}{32} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

6. (Original) The method of claim 1, wherein if a size of the subblock is 1560, the read address is generated in accordance with the equation

$$A_k = 3 \cdot BRO_9(k \bmod 512) + \lfloor k / 512 \rfloor \\ + \left\lfloor \frac{BRO_9(k \bmod 512) + 15}{16} \right\rfloor - \left\lfloor \frac{BRO_9(k \bmod 512) + 15}{64} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

Amendment filed November 18, 2009
 Responding to Office Action mailed September 01, 2009
 App. Ser. No. 10/695,390

7. (Original) The method of claim 1, wherein if a size of the subblock is 3096, the read address is generated in accordance with the equation

$$A_k = 3 \cdot BRO_{10}(k \bmod 1024) + \lfloor k / 1024 \rfloor \\ + \left\lfloor \frac{BRO_{10}(k \bmod 1024) + 31}{32} \right\rfloor - \left\lfloor \frac{BRO_{10}(k \bmod 1024) + 31}{128} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

8. (Original) The method of claim 1, wherein if a size of the subblock is 6168, the read address is generated in accordance with the equation

$$A_k = 3 \cdot BRO_{11}(k \bmod 2048) + \lfloor k / 2048 \rfloor \\ + \left\lfloor \frac{BRO_{11}(k \bmod 2048) + 63}{64} \right\rfloor - \left\lfloor \frac{BRO_{11}(k \bmod 2048) + 63}{256} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

9. (Original) The method of claim 1, wherein if a size of the subblock is 12312, the read address is generated in accordance with the equation

$$A_k = 3 \cdot BRO_{12}(k \bmod 4096) + \lfloor k / 4096 \rfloor \\ + \left\lfloor \frac{BRO_{12}(k \bmod 4096) + 127}{128} \right\rfloor - \left\lfloor \frac{BRO_{12}(k \bmod 4096) + 127}{512} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

10. (Original) The method of claim 1, wherein if a size of the subblock is 2328, the read address is generated in accordance with the equation

Amendment filed November 18, 2009
 Responding to Office Action mailed September 01, 2009
 App. Ser. No. 10/695,390

$$A_k = 2 \cdot BRO_{10}(k \bmod 2^{10}) + \left\lfloor \frac{k}{2^{10}} \right\rfloor + \left\lfloor \frac{BRO_{10}(k \bmod 2^{10}) + 3}{4} \right\rfloor \\ + \left\lfloor \frac{BRO_{10}(k \bmod 2^{10}) + 29}{32} \right\rfloor - \left\lfloor \frac{BRO_{10}(k \bmod 2^{10}) + 29}{128} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

11. (Original) The method of claim 1, wherein if a size of the subblock is 3864, the read address is generated in accordance with the equation

$$A_k = 2 \cdot BRO_{11}(k \bmod 2^{11}) + \left\lfloor \frac{k}{2^{11}} \right\rfloor - \left\lfloor \frac{BRO_{11}(k \bmod 2^{11})}{8} \right\rfloor \\ + \left\lfloor \frac{BRO_{11}(k \bmod 2^{11}) + 56}{64} \right\rfloor - \left\lfloor \frac{BRO_{11}(k \bmod 2^{11}) + 56}{256} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

12. (Original) The method of claim 1, wherein if a size of the subblock is 4632, the read address is generated in accordance with the equation

$$A_k = 2 \cdot BRO_{11}(k \bmod 2^{11}) + \left\lfloor \frac{k}{2^{11}} \right\rfloor + \left\lfloor \frac{BRO_{11}(k \bmod 2^{11}) + 3}{4} \right\rfloor \\ + \left\lfloor \frac{BRO_{11}(k \bmod 2^{11}) + 61}{64} \right\rfloor - \left\lfloor \frac{BRO_{11}(k \bmod 2^{11}) + 61}{256} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

13. (Original) The method of claim 1, wherein if a size of the subblock is 9240, the read address is generated in accordance with the equation

Amendment filed November 18, 2009
 Responding to Office Action mailed September 01, 2009
 App. Ser. No. 10/695,390

$$A_k = 2 \cdot BRO_{12}(k \bmod 2^{12}) + \left\lfloor \frac{k}{2^{12}} \right\rfloor + \left\lfloor \frac{BRO_{12}(k \bmod 2^{12}) + 3}{4} \right\rfloor \\ + \left\lfloor \frac{BRO_{12}(k \bmod 2^{12}) + 125}{128} \right\rfloor - \left\lfloor \frac{BRO_{12}(k \bmod 2^{12}) + 125}{512} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

14. (Original) The method of claim 1, wherein if a size of the subblock is 15384, the read address is generated in accordance with the equation

$$A_k = 2 \cdot BRO_{13}(k \bmod 2^{13}) + \left\lfloor \frac{k}{2^{13}} \right\rfloor - \left\lfloor \frac{BRO_{13}(k \bmod 2^{13})}{8} \right\rfloor \\ + \left\lfloor \frac{BRO_{13}(k \bmod 2^{13}) + 248}{256} \right\rfloor - \left\lfloor \frac{BRO_{13}(k \bmod 2^{13}) + 248}{1024} \right\rfloor$$

where A_k is the read address, k is an index of the code symbol, BRO means a BRO operation, mod means a modulo operation, and $\lfloor \cdot \rfloor$ means a maximum integer not exceeding an input “.”.

15. (Previously Presented) The method of claim 1, wherein the address compensation factor calculation step comprises the step of calculating an address compensation factor by the following equation when the last column has less than a half of 2^m code symbols;

$$C_d^+(r_k) = \left\lfloor \frac{r_k + d - (r^+ + 1)}{d} \right\rfloor$$

where “d” is a value determined by dividing the total number of rows by the number of code symbols to be inserted, “ r^+ ” is an index of a row where a first inserted code symbol is located among the remaining code symbols inserted in the last column, and “+” in an address compensation factor C_d^+ indicates that a code symbol is “inserted” in the last column.

Amendment filed November 18, 2009
 Responding to Office Action mailed September 01, 2009
 App. Ser. No. 10/695,390

16. (Previously Presented) The method of claim 1, wherein the address compensation factor calculation step comprises the step of calculating an address compensation factor by the following equation when the last column has more than or equal to a half of 2^m code symbols;

$$C_d^-(r_k) = \left\lfloor \frac{r_k + d - (r^- + 1)}{d} \right\rfloor$$

where "d" is a value determined by dividing the total number of rows by the number of code symbols to be excluded, " r^- " is an index of a row where a first excluded code symbol is located, and "-" in C_d^- indicates that a code symbol is "excluded" from the last column.

17-32. (Cancelled)

33. (Previously Presented) The method of claim 1 wherein, when the number of code symbols of the last column is less than half of 2^m code symbols, the step of generating the interim address further comprises:

performing BRO operation on a column index of the code symbol;

multiplying the BRO operated column index by the integer determined by $(J-1)$; and

adding a column index of the code symbol to the product determined in the multiplying step; wherein

the column index of the code symbol is a quotient generated by dividing the code symbol index k into 2^m .

34. (Previously Presented) The method of claim 1 wherein, when the number of code symbols of the last column is equal to or more than half of 2^m code symbols, the step of generating the interim address further comprises:

performing BRO operation on a column index of the code symbol;

multiplying the BRO operated column index by the integer represented by J;

and

Amendment filed November 18, 2009
Responding to Office Action mailed September 01, 2009
App. Ser. No. 10/695,390

adding a column index of the code symbol to the product determined in the multiplying step; wherein

the column index of the code symbol is a quotient generated by dividing the code symbol index k into 2^m .

OK TO ENTER: /JT/

OK TO ENTER: /JT/

Amendment filed November 18, 2009
Responding to Office Action mailed September 01, 2009
App. Ser. No. 10/695,390

Remarks/Arguments

Applicants thank the Examiner for a thorough and timely examination and for withdrawing the rejections under 35 U.S.C. 112, second paragraph, 35 U.S.C. 101 and 35 U.S.C. 102(b).

Additionally, Applicants thank the Examiner for the courtesy extended to the Applicant's representative during the telephonic interview on September 16, 2009. This Amendment is submitted in view of the interview, taking into account the agreements reached and suggestions made by the Examiner.

I. Status of Claims

Claims 1, 4-16 and 33-34 are currently pending in the application. This amendment amends claim 1, cancels claims 2 and 3, and addresses each point of objection and rejection raised by the Examiner.

The amended claim language finds support in the specification as originally filed. Specifically, claim 1 is now amended to include the features previously recited in dependent claims 2 and 3. No new matter has been added. Accordingly, there are no new issues raised herein that should require any further search and/or consideration. As such, Applicants request the Examiner to favorably reconsider the rejections to claims 1, 4-16 and 33-34.

II. Substance of Interview

The Applicants' agent initiated an interview with the Examiner to discuss the outstanding rejections in the interest of advancing prosecution of the present

Amendment filed November 18, 2009
Responding to Office Action mailed September 01, 2009
App. Ser. No. 10/695,390

application. During the telephonic interview on September 16, 2009, the Applicants' agent proposed amendments to claim 1 for overcoming the 35 U.S.C. 112, 2nd paragraph rejections. While specific amendments were agreed upon during the interview, Applicants have further amended claim 1 herein to advance prosecution of the present application.

No specific agreements were reached with respect to the cited prior art. However, the Examiner indicated that clarification of the claim features that Applicant submits in the above amendments would likely overcome the teachings of the cited art, but that an updated search and further review of the cited art is in order and may prove otherwise.

III. Rejections of the Claims under 35 U.S.C. §112, 2nd Paragraph

Claims 1-16, 33 and 34 are rejected under 35 U.S.C. 112, second paragraph as allegedly failing to particularly point out and distinctly claim the subject matter which Applicants regard as the invention. Particularly, the Examiner states that the phrase "as if the code symbols constitute a perfect $2m \times J$ matrix" is indefinite since recitation of "as if" suggests a hypothetical that never occurs and hence cannot have a real tangible connection to the method. Claim 1 is presently amended to more clearly and distinctly claim the subject matter. In particular, the phrase discussed above is removed from claim 1 and the features of claim 2 are amended into claim 1 to clarify the step of generating an interim address. As such, Applicants respectfully request the Examiner to reconsider and withdraw the rejections of claims 1-16 and 33-34 under 35 U.S.C. 112, second paragraph.

Amendment filed November 18, 2009
Responding to Office Action mailed September 01, 2009
App. Ser. No. 10/695,390

IV. Rejections of the Claims under 35 U.S.C. §103(a)

Claims 1 and 2 are rejected under 35 U.S.C. 103(a) as allegedly being unpatentable over TIA/EIA/IS-2000.2-A-1 in view of Tiedmann et al. (U.S. Patent 6,351,460). Applicants respectfully request reconsideration and withdrawal of these rejections.

As amended herein to include the features previously presented in dependent claim 2, independent claim 1 now recites a step of generating an interim address by bit reversal order (BRO) operation on an index of a code symbol by excluding the last column when the number of the code symbols of the last column is less than a half of 2^m code symbols, and generating the interim address by including the last column when the number of the code symbols of the last column is more than or equal to a half of 2^m code symbols. Additionally, claim 1 is further amended to recite the features previously presented in claim 3, for which no prior art rejection was applied by the Examiner. As such, claim 1 now recites the step of calculating an address compensation factor for compensating the interim address based on the real number of R code symbols written in the last column J by increasing the address compensation factor by one each time a code symbol appears in the last column when the last column has less than a half of 2^m code symbols, and decreasing the address compensation factor by one each time a code symbol is excluded from the last column when the last column has more than or equal to a half of 2^m code symbols. In view of the above amendments, Applicants submit that there is no reasonable combination of the teachings in TIA/EIA/IS-2000.2-A-1 with the teachings of Tiedemann that arrives at or suggests each of the claimed features.

Amendment filed November 18, 2009
Responding to Office Action mailed September 01, 2009
App. Ser. No. 10/695,390

Specifically, Figure 2.1.3.1.4.2.3-1 on page 2-111 of TIA/EIA/IS-2000.2-A-1 and the described steps 1-9 fail to teach the claimed steps of generating an interim address and calculating an address compensation factor for compensating the interim address, especially by considering the number of code symbols in the last column as claimed. TIA/EIA/IS-2000.2-A-1 makes no consideration whatsoever of any remaining bits that do not completely fill the last column of an input matrix. As such, there is no teaching or suggestion in TIA/EIA/IS-2000.2-A-1 of generating an interim address by excluding the last column when the number of the code symbols of the last column is less than a half of 2^m code symbols, and generating the interim address by including the last column when the number of the code symbols of the last column is more than or equal to a half of 2^m code symbols. Further, in view of the above, TIA/EIA/IS-2000.2-A-1 necessarily fails to disclose any step of compensating the interim address based on the real number of R code symbols written in the last column J by increasing the address compensation factor by one each time a code symbol appears in the last column when the last column has less than a half of 2^m code symbols, and decreasing the address compensation factor by one each time a code symbol is excluded from the last column when the last column has more than or equal to a half of 2^m code symbols. As such, there is no reasonable combination of TIA/EIA/IS-2000.2-A-1 and Tiedemann that is capable of teaching or suggesting each of the above features.

Accordingly, Applicants request the Examiner to reconsider and withdraw the rejection of claim 1 under 35 U.S.C. 103(a). Dependent claims 4-16 and 33-34 are

Amendment filed November 18, 2009
Responding to Office Action mailed September 01, 2009
App. Ser. No. 10/695,390

patentable on their own merit, yet are distinguished from the cited art at least by virtue of their dependency from claim 1.

V. Double Patenting Rejection

Claim 1 is rejected on the ground of nonstatutory double patenting over claim 5 of U.S. Patent No. 6,668,350. In view of the amendments to claim 1 presented above, Applicants submit that the present application is clearly distinguished from claim 5 of U.S. Patent No. 6,668,350 and does not attempt to improperly extend the “right to exclude” granted by the patent.

Specifically, Applicants submit that Kim clearly does not disclose or suggest at least the step of calculating an address compensation factor for compensating the interim address to account for the R code symbols written in the last column J by increasing the address compensation factor by one each time a code symbol appears in the last column when the last column has less than a half of 2^m code symbols, and decreasing the address compensation factor by one each time a code symbol is excluded from the last column when the last column has more than or equal to a half of 2^m code symbols.. Kim, however, is directed to an interleaving method in which there are no remaining R bits, as claimed. Thus, any interleaving in Kim is performed with a complete uniform matrix. Since there are no remaining R bits in a last column in Kim, Kim cannot disclose the step of generating a compensation factor based on the remaining R bits. The Examiner states that Kim explicitly recites “calculating a third variable r corresponding to a remainder obtained by dividing a reading sequence K by the second variable J.” Such disclosure, however, merely defines the modulo operation which results in the remainder of division of one number by another. The


Amendment filed November 18, 2009
Responding to Office Action mailed September 01, 2009
App. Ser. No. 10/695,390

variable 'r' which is the result of $(K \bmod J)$ cited in Kim is not related in any way to the remainder R as defined in the preamble of newly amended claim 1. In systems where the number of bit symbols does not enable a uniform matrix in interleaving, it is necessary to compensate for the remaining bits. The present application recites a method of compensating for these remaining bits, thus resulting in the step of address compensation that is neither apparent nor obvious in view of Kim. Since Kim fails to describe or suggest at least these recited features, there is no basis for a double patenting rejection. Applicants respectfully request the Examiner to withdraw the nonstatutory double patenting rejection of claim 1 in view of Kim.

CONCLUSION

In view of the above, it is believed that the above-identified application is in condition for allowance, and notice to that effect is respectfully requested. Should the Examiner have any questions, the Examiner is encouraged to contact the undersigned at the telephone number indicated below. Additionally, Applicants request a one month extension of time under 37 CFR 1.136(a), and submit herewith the applicable fees under 37 C.F.R. §1.17.

Respectfully submitted,



Brandon S. Bludau
Agent for Applicant
Reg. No. 62,140

Roylance, Abrams, Berdo & Goodman, L.L.P.
1300 19th Street, N.W., Suite 600
Washington, D.C. 20036
(202) 659-9076

Dated: NOVEMBER 18, 2009